INDEX OF SUBJECTS

PAGE

ADENOSIS, sclerosing, of breast, particularly associated with epithelial invasion of nerves 225
ADHERENCE of allergised lymph-node cells to BP8 ascites tumour in presence of polyamines and quaternary ammonium compounds 323
ADRENALS, changes in experimental amyloidosis in hamsters. 93
congenital hyperplasia associated with malignant haemangio-endothelioma . 361
ALLERGY, histological features of labial sialadenitis in Sjögren's syndrome and rheumatoid arthritis related to cell-mediated allergic reactions to human salivary antigens 307
ALLOGRAFTS, skin, mouse, with simultaneous rat-to-mouse skin xenografts, survive longer than control grafts, possibly the effect of competing antigens 259
AMYLOIDOSIS, experimental, in hamsters, produced by injection of diphtheria-tetanus-pertussis prophylactic, 2 injections each of 0·3 ml twice weekly for from 2 wk to 4 mth 93
ANAEMIA, pernicious, red cells in one case showed club-like processes . . 1
ANDROBLASTOMA of ovary with heterotopic elements 267
ANTIBODIES, humoral, and cell-bound in spleen, to cardiac muscle develop in pericardiotomised rats 345
ANTIGENS, competing, possible cause of increased survival rates of mouse skin allografts with simultaneous rat-to-mouse skin xenografts, as compared with controls 259
ANTI-MITOCHONDRIAL ANTIBODY in low titre in many cases of acute viral hepatitis in East Central State of Nigeria; titres in controls ≤ 2 83
ANTINUCLEAR FACTOR not detected in cases of acute viral hepatitis in East Central State of Nigeria; 3 per cent. of blood donors had speckled ANF. . . 83
ANTI-SMOOTH-MUSCLE ANTIBODY in many cases of acute viral hepatitis and in 15 cases of jaundice with yellow-fever antibody in East Central State of Nigeria; titres low (4–16), control titres ≤ 2 83
AORTA, aortopathy in Ugandan Africans . 295

PAGE

AORTA, and other arteries, lesions in hyperlipoproteinaemic rabbits resemble those in skin, suggesting common origin 271
AORTOPATHY, proximal; dilatation of proximal aorta; aneurysms; focal; segmental; idiopathic; in Ugandan Africans, most probably not syphilitic 295
ARGENTAFFIN CELLS in androblastoma of ovary 267
ARTHRITIS, rheumatoid, labial sialadenitis in 307
ASTROCYTES in rat cerebellum contain radioactive lead 24 hr after intraperitoneal injection of ^{210}Pb . . . 45
AUSTRALIA ANTIGEN, AU(1), present in only one of 58 patients with acute epidemic viral hepatitis in East Central State of Nigeria; none had AU(1) antibody: antigen present in 6 per cent. of blood donors . . . 83
AUTO-ANTIBODIES in acute viral hepatitis, yellow fever and hepatocellular carcinoma 83
AXIAL FILAMENT COMPLEXES, atypical, in bronchial epithelium of lung smoker with carcinoma of bronchus . . 75
AZATHIOPRINE does not reduce carrageenan-induced oedema of rat hind-paw 151

BASEMENT-MEMBRANE of Bowman's capsule and of convoluted tubules shows increase in thickness with age . . 195
production in a renal adenoma . . 113
BCG, use by endotracheal injection to produce experimental pneumonia in mice. 7
BEER, no effect on myocardium of mice not present in water-drinking controls . 163
BEHÇET'S SYNDROME, with haemoptysis and pulmonary lesions 351
BILE DUCTS of guinea-pig, proliferative changes and goblet-cell metaplasia in *Clonorchis sinensis* infestation . . 291
BISCYCLOHEXANONE OXALDIHYDRAZONE (Cuprizone)-induced spongiform encephalopathy 245
BLEOMYCIN, antibiotic from *Streptomyces verticillus*, effect on human and experimental squamous carcinoma . . 315
BONE MARROW origin of alveolar macrophages in experimental mouse pneumonia 7

PAGE

BRADYKININ induces xanthomata at sites of injection in hyperlipoproteinaemic rabbits, not in normal ones . . 271
BRAIN-cell cultures of mice, adherence of cells to glass increases when cuprizone is added to diet of animals of origin, falls when it is omitted . . . 245
swelling in newborn probably related to high blood volume due to asphyxia; necropsy study, particularly of association with cerebellar herniation . . 51
BREAST, neural invasion in benign mammary dysplasia 225
triple carcinoma of, one arising in a fibro-adenoma 263
BRONCHUS, bronchial epithelium, atypical cilia with many axial filament complexes, or markedly increased matrix, or without central filament . . 75
BUSULPHAN reduces carrageenan-induced oedema of rat hind-paw, possibly by reducing numbers of infiltrating polymorphs 151

CAPILLARY endothelial cells in rat cerebellum contain radioactive lead after intraperitoneal injection of ^{210}Pb 45
CARRAGEENAN-induced oedema of rat hind-paw reduced by methotrexate, cyclophosphamide, chlorambucil, busulphan, and 6-mercaptopurine, not by azathioprine; probably by reduction in numbers of infiltrating polymorphonuclear leucocytes 151
use by endotracheal injection to produce experimental pneumonia in mice . 7
CELL(S), mononuclear, infiltrate round dermal vessels and epidermal appendages of skin into which prostaglandin E_1 has been repeatedly injected intradermally 239
processes, clubbed, in ropalocytosis, distinct from changes in echinocytosis, drepanocytosis and schistocytosis . 1
CEREBELLUM, herniation of, relation to brain swelling 51
CHICKENS, germ-free, germinal centres induced in by intracardial injection of killed staphylococci 7 days after hatching 251
CHLORAMBUCIL reduces carrageenan-induced oedema of rat hind-paw, possibly by reducing numbers of infiltrating polymorphs 151
CHONDROITIN-4,6-sulphate, no increase in concentration or total amount in skin into which prostaglandin E_1 has been repeatedly injected intradermally . 239

PAGE

CILIA, atypical, in bronchial epithelium of heavy smoker with carcinoma of bronchus 75
COLLAGEN production *in vitro* by hamster fibroblasts, extracts of silica-treated hamster macrophages reduce . . 21
COMPOUND 48/80 increases number of allergised lymph-node cells adherent to BP8 tumour cells 323
CONNECTIVE TISSUE, some aortopathies in Ugandan Africans probably due to abnormality of, possibly due to ingestion of a toxin 295
CROHN'S DISEASE, mast cells as a component of granuloma in . . 79
CUPRIZONE-induced spongiform encephalopathy in mice, rapid recovery when cuprizone omitted from diet . . 245
CYCLOPHOSPHAMIDE reduces carrageenan-induced oedema of rat hind-paw, possibly by reducing numbers of infiltrating polymorphs 151

DERMATAN sulphate, no increase in concentration or total amount in skin into which prostaglandin E_1 has been repeatedly injected intradermally . 239
DERMOID CYST of ovary, possibly of odontogenic origin, with pigmented progonoma 357
DIFFERENTIATION of squamous carcinoma, bleomycin increases degree of, possibly by killing off undifferentiated cells, though direct effect on differentiation not excluded . . . 315
DIVERTICULA of distal convoluted renal tubules increase in number with age; possible importance in pyelonephritis and recurrent renal infections . . 195
DIVERTICULITIS, mast cells in 5 cases . . 79
DYSPLASIA, benign mammary, neural invasion in 225

ELASTIN fibres, increase in extent and degree of reduplication in renal vessels with increasing age 195
ELECTROCARDIOGRAPHIC changes in experimental toxoplasmic myocarditis in rabbits probably due to fibrosis of myocardium rather than to active infection 141
ELECTRON-MICROSCOPE STUDY of biliary tract of guinea-pigs infested with *Clonorchis sinensis* 291
of a differentiating renal adenoma . . 113
of experimental amyloidosis in hamsters. 93
of granular-cell myoblastomas from skin, tongue, vulva and breast . . . 101
of ropalocytosis in blood and bone marrow. 1

PAGE

ENCEPHALOPATHY, scrapie-like spongiform, produced in mice by feeding them with a diet containing cuprizone; rapid recovery when cuprizone omitted from diet 245
EPITHELIUM, intestinal, in androblastoma of ovary 267
ERYTHROCYTES in haemorrhages in rat cerebellum containing lead after intraperitoneal injection of ^{210}Pb . . 45
ETHYLENE IMINE, use to produce renal papillary necrosis in rats . . . 209
N-ETHYL-N-NITROSOUREA-induced tumours in central nervous system of rats given a single dose subcutaneously in the neonatal period 123

FECUNDITY reduced in female mice recovering from Coxsackie-B_5 virus intracerebral infection at 5 days old . 183
FIBRO-ADENOMA of breast, one of three simultaneous breast carcinomas arising in 263
FIBROBLASTS, hamster, inhibitory effect of extracts of silica-treated hamster macrophages on collagen production *in vitro* by 21
α-FOETOPROTEIN, 5 of 7 positive and 7 of 10 negative patients with hepatocellular carcinoma, and 14 of 18 rats with 2-acetylaminofluorene-induced liver tumours had anti-smooth-muscle antibody titre $\geqq 10$. 83
FREUND'S ADJUVANT, complete, use by endotracheal injection to produce experimental pneumonia in mice . 7

GERMINAL CENTRES, induction of in germ-free chickens 251
GLOMERULUS, renal, ratio of surface to proximal tubular volume (R) decreases from birth to end of second decade, then remains constant at *c.* 3·1 195
GRANULOMA in Crohn's disease, mast cells as component of 79
lesions in myocardium of 5-day-old mice infected intracerebrally with Coxsackie-B_5 virus 175
GROWTH, invasive, of malignant tumours as a purely mechanical process . 233
lower rate in 5-day-old mice infected intracerebrally with Coxsackie-B_5 virus 175
GUINEA-PIG, bile-duct changes in *Clonorchis sinensis* infestation of . . 291

HAEMANGIO-ENDOTHELIOMA of liver, 3 cases, probably of Kupffer-cell origin . 39
malignant, associated with congenital adrenal hyperplasia . . . 361
HAEMOPTYSIS and pulmonary lesions in Behçet's disease 351
HAEMORRHAGES in rat cerebellum 168 hr after intraperitoneal injection of ^{210}Pb: erythrocytes then contain ^{210}Pb 45
HAMSTERS, experimental amyloidosis in, by twice-weekly injections each of 0·3 ml of diphtheria-tetanus-pertussis prophylactic; kidneys, liver, spleen and adrenals involved 93
HEART lesions and anticardiac antibodies in pericardiotomised rats . . . 345
HEPARAN sulphate, no change in concentration or total amount in skin into which prostaglandin E_1 has been repeatedly injected intradermally . . . 239
HEPARIN inhibits in-vitro adhesion of allergised lymph-node cells to BP8 tumour cells produced by spermine HCl 323
HISTAMINE induces xanthomata at sites of injection in hyperlipoproteinaemic rabbits, not in normals . . . 271
HISTOLOGY of cuprizone-induced encephalopathy in mice, and of recovery from 245
HODGKIN'S DISEASE, red cells in one case showed club-shaped processes . . 1
HYALURONIC ACID, increase in concentration and total amount of in skin into which prostaglandin E_1 has been repeatedly injected intradermally; possible evidence prostaglandin E_1 initiates regenerative process there . . 239
HYPERLIPOPROTEINAEMIA may render animals susceptible to xanthoma formation at sites of minor trauma, or of injection of histamine or bradykinin . 271

IMMUNOSUPPRESSIVE AGENTS, effect of on vascular and cellular response to carrageenan in the rat . . . 151
INFLAMMATION, cutaneous, in man, produced by prostaglandin E_1. . . 239
INVASION by malignant tumours as a purely mechanical process . . 233
epithelial, of nerves in benign mammary dysplasia; planes of invasion similar to those permeated by carcinoma . 225

JAUNDICE, 15 of 80 jaundiced patients in East Central State of Nigeria had yellow-fever antibody, 5 had yellow-fever and dengue antibodies, 2 had yellow-fever, dengue and West Nile antibodies, 11 had anti-smooth-muscle antibody 83

PAGE

KIDNEY, ageing, parameters of . . 195
changes in experimental amyloidosis in hamsters 93
experimental papillary necrosis produced by ethylene imine in rats . . 209
tubular differentiation and basement-membrane production in renal adenoma 113
KUPFFER CELLS of rats fed on low-protein diet, fall in uptake of colloidal carbon by 215

LEAD, radioactive, in cerebellum of rat after intraperitoneal injection of ^{210}Pb, after 72 hr deposits associated with oedema 45
LEUCOCYTES, polymorphonuclear, possibly contribute kinin-forming enzymes and prostaglandins to carrageenan-induced oedema 151
LEUKAEMIA, "hairy cell", ultrastructural changes in blood and bone marrow. . 1
LIP, labial sialadenitis in Sjögren's syndrome and in rheumatoid arthritis, not frequent in rheumatoid cases that did not show inhibition of leucocyte migration in presence of human salivary antigens, common in cases of Sjögren's syndrome and rheumatoid arthritis that do 307
LIPID in spontaneous and induced xanthomata in hyperlipoproteinaemic rabbits is derived from plasma β-lipoprotein, and is composed of β-lipoprotein and its digestion products 271
β-LIPOPROTEIN, radioactively labelled, injected intravenously into lipid-fed animals, localises in skin injection sites that also show lipid infiltration . 271
LITTER size smaller in mice recovering from intracerebral infection with Coxsackie-B_5 virus at 5 days old . 183
LIVER changes in experimental amyloidosis in hamsters 93
haemangio-endothelioma, three cases, probably of Kupffer-cell origin . 39
LUNG, atypical cilia in bronchial epithelium of heavy smoker with carcinoma of bronchus 75
lesions (thrombovasculitis) with fatal haemoptyses in Behçet's disease . 351
LYMPH-NODE cells, allergised, adherence to BP8 tumour cells in presence of polyamines and quaternary ammonium compounds 323
metastases of carcinoma of pituitary gland 335

MACROPHAGES, alveolar, origin and turnover in experimental mouse pneumonia 7
MACROPHAGES, silica-treated, of hamster and rat, extracts reduce in-vitro collagen production by hamster fibroblasts, not of chick fibroblasts; extracts of normal macrophages have small effect on hamster fibroblasts . 21
MAST CELLS as component of granuloma in Crohn's disease, and in some cases of diverticulitis 79
MATURITY, immature (e.g., neonatal) rats very susceptible to induction of tumours of central nervous system with N-methyl-N-nitrosourea, rats 30 days old much less susceptible . . 123
in newborn inversely related to water content of brain 51
6-MERCAPTOPURINE reduces carrageenan-induced oedema of rat hind-paw, possibly by reducing numbers of infiltrating polymorphs 151
METASTASES of chondroid syringoma of upper arm in axillary lymph-gland . 167
intracranial and extracranial, from carcinoma of pituitary 335
METHONIUM COMPOUNDS with 4, 5, 6, 10 carbon atoms all increased adhesion of allergised lymph-node cells to BP8 tumour cells; hexamethonium most efficient, decamethonium only half as efficient, pentamethonium and tetramethonium even less efficient . . 323
METHOTREXATE reduces carrageenan-induced oedema of rat hind-paw, possibly by reducing numbers of infiltrating polymorphs 151
MICE drinking beer do not develop much more extensive myocardial injuries than control mice drinking water . 163
experimental myocarditis due to Coxsackie-B_5 virus 175
experimental pneumonia in, macrophages in of bone-marrow origin; when mature, these macrophages discharged into alveolar air-spaces . 7
fed with diet containing cuprizone develop scrapie-like spongiform encephalopathy; rapid recovery when cuprizone omitted from diet . . 245
5 days old, experimental Coxsackie-B_5 myocarditis in 175
given transplant of Ep 255 G, a poorly differentiated squamous carcinoma, and treated with bleomycin show marked increase in tonofibrils, desmosomes and glycogen in the tumour cells 315
MICROGLIA-like cells in sections of mouse brain in cuprizone-induced spongiform encephalopathy, numbers apparently correlated with number of

PAGE

cells adhering to glass in brain-cell cultures from same mice . . . 245
MICROVILLI of bile duct, bizarre-shaped in *Clonorchis sinensis* infestation of guinea-pig, possibly due to chemical stimulation 291
MONKEYS, rhesus (*Macaca mulatta mulatta*) fed on low-protein diet, fall in phagocytic activity of reticulo-endothelial cells of, returns to normal after protein repletion 215
MORTALITY, perinatal, greater in litters from female mice intracerebrally infected with Coxsackie-B_5 virus at 5 days old 183
MYOCARDITIS, experimental, in mice, due to Coxsackie-B_5 virus 175
experimental toxoplasmic, in rabbits, more severe with low-virulence strains of *Toxoplasma gondii*; electrocardiographic changes commonest in fibrotic stages 141
MYOCARDIUM of mice drinking beer containing 5 per cent. ethanol as only source of liquid shows lesions only slightly more extensive than that of control mice drinking water . . 163
MYOBLASTOMA, granular-cell, origin of and comparison with schwannomas. . 101

NECROSIS, healed experimental renal papillary 209
NEPHRON reaches maximum capacity during 3rd and 4th decade of life, then shrinks at steady rate; number of juxtamedullary nephrons falls only from 8 per cent. of all nephrons at 20 yr to 6 per cent. at 84 yr . . . 195
NERVES, epithelial invasion of in benign mammary dysplasia; no sinister significance 225
NERVOUS SYSTEM, rat, tumours induced in by a single subcutaneous neonatal dose of N-ethyl-N-nitrosourea . . 123

OBSTRUCTION, biliary, incomplete in *Clonorchis sinensis* infestation in guinea-pig 291
OEDEMA in rat cerebellum associated with lead deposits 72 hr after intraperitoneal injection of ^{210}Pb 45
OPSONISATION of colloidal carbon particles before injection into monkeys and rats fed on protein-deficient diet did not improve the animals' phagocytic activity, so effect of deficient diet cellular, not humoral 215
OVARY, androblastoma of, probably arising in a teratoma 267
pigmented progonoma in dermoid cyst of 357

PAGE

PERICARDIUM, rubbing of exposed pericardium on heart surface of pericardiotomised rats probably releases cardiac antigens, possibly modified by necrosis, and so leads to auto-antibody production 345
PHAGOCYTOSIS by alveolar macrophages in experimental mouse pneumonia highly efficient in removing irritants . . 7
by reticulo-endothelial cells reduced in monkeys and rats fed on a low-protein diet, returns to normal when diet improved 215
PITUITARY GLAND, carcinoma 335
PLASTICS, quick-setting dental, injection of into jellies and tissues to simulate malignant invasion 233
PLATYHELMINTHES, Trematoda, *Clonorchis sinensis* infestation of bile ducts of guinea-pig 291
PNEUMONIA, experimental, in mice, origin and turnover of alveolar macrophages in 7
POLYAMINES, effect on adhesion of allergised lymph-node cells to BP8 tumour cells . 323
PREGNANCY less common in female mice recovering from intracerebral infection with Coxsackie-B_5 virus at 5 days old 183
PROCEEDINGS OF THE SOCIETY . . Pi–Pxxi
PROGONOMA, pigmented in dermoid cyst of ovary 357
PROSTAGLANDIN E_1, subcutaneous inflammation produced in man by . . 239
PROTOZOA, Sporozoa, *Toxoplasma gondii*, experimental myocarditis in rabbits more severe with low-virulence strains 141
PURPURA, idiopathic thrombocytopenic, red cells in one case showed club-shaped processes 1
PYRIDINOL CARBAMATE failed to prevent xanthomata in traumatised hyperlipoproteinaemic rabbit skin or to prevent β-lipoprotein infiltration in arteries 271

QUATERNARY AMMONIUM COMPOUNDS, effect on adhesion of allergised lymph-node cells to BP8 tumour cells . . . 323

RABBITS, hyperlipoproteinaemic, may develop xanthomata at sites of minor trauma, or of injection of histamine or bradykinin 271
RAT(S), carrageenan-induced oedema of hind-paw inhibited by methotrexate, cyclophosphamide, chlorambucil, busulphan and 6-mercaptopurine (not by azathioprine), probably by reduction in numbers of infiltrating polymorphs 151

PAGE

RAT(S), cerebellum, distribution of radioactive lead (^{210}Pb) in . . . 45
fed on protein-deficient diet, reduction in uptake of colloidal carbon by Kupffer cells of 215
induction of central nervous system tumours in by single neonatal dose of N-ethyl-N-nitrosourea . . . 123
pericardiotomised, immunopathological studies in 345
renal papillary necrosis produced in with ethylene imine . . . 209
RECURRENCE, local, of chondroid syringoma of upper arm 167
REVIEWS OF BOOKS—
Intestinal absorption and its derangements (ed. by A. M. Dawson) . . 173
The pathology of deafness: an introduction (Mary Ingle Wright) . . 173
Burkitt's lymphoma (D. P. Burkitt and D. H. Wright) 174
Viruses and cancer (Sir Christopher Andrewes) 365
Cytology automation (ed. by D. M. D. Evans) 365
An atlas of the ultrastructure of human skin: development, differentiation, and post-natal features (A. S. Breathnach) 366
ROPALOCYTOSIS, ultrastructural study of in blood and bone marrow . . . 1

SCARS in myocardium of 5-day-old mice infected intracerebrally with Coxsackie-B_5 virus 175
only minor fine cortical scarring in 5 out of 15 rats in which renal papillary necrosis had been produced with ethylene imine; only 2 of 15 such rats showed gross cortical scarring . . 209
SCHWANNOMA, comparison with granular-cell myoblastoma 101
SCRAPIE, possible relation to cuprizone-induced spongiform encephalopathy in mice 245
SECONDARY RESPONSE to killed staphylococci in germ-free chickens differs from primary in order of cellular events, but germinal centres induced per unit area more numerous than in primary response, though formed in same way by aggregation of haemocytoblasts in the peri-arteriolar lymphocyte sheath 251
SIALADENITIS, labial, in Sjögren's syndrome and in rheumatoid arthritis . . 307
SILICA-treated hamster and rat macrophages, extracts of reduce in-vitro collagen production by hamster fibroblasts (on which extracts of normal macrophages have a slight effect), but have no effect on chick fibroblasts . 21
SIMULATION of malignant tumour invasion of tissues by injection of quick-setting dental plastics, or jellies, into tissues . 233
SJÖGREN'S SYNDROME, labial sialadenitis in . 307
SMOKING, atypical cilia in bronchial epithelium of heavy smoker with carcinoma of bronchus 75
SPERMINE and spermidine increase number of allergised lymph-node cells adherent to BP8 tumour cells . . . 323
SPLEEN changes in experimental amyloidosis in hamsters. 93
STRESS effects in mice recovering from intracerebral infection with Coxsackie-B_5 virus at 5 days old; increased heart weight in males exercising on treadmill, reduced fecundity in females . . 183
SYRINGOMA, metastasising chondroid . 167

TISSUE-CULTURE METHODS, for in-vitro production of collagen by fibroblasts; vitamin C, proline and insulin necessary, 10 per cent. calf serum most effective source of serum . . . 21
TOOTH elements associated with pigmented progonoma in dermoid cyst of ovary . 357
TOXAEMIA in experimental toxoplasmic myocarditis in rabbits probably responsible for tachycardia, not infection of heart muscle 141
TRAUMA, minor, in hyperlipoproteinaemic animals, may lead to xanthoma production in injured areas . . . 271
TUBULES, differentiation in a renal adenoma 113
renal, percentage volume of juxtamedullary tubules falls from 15 per cent. at 20 yr to 9 per cent. at 84 yr . . 195
TUMOURS, malignant, evidence that invasion by is purely mechanical process 233
TUMOURS, ANIMAL, EXPERIMENTAL, Ep 255 G, a poorly differentiated squamous carcinoma, transplanted into C57 black mice showed marked increase in tonofibrils, desmosomes and cellular glycogen when mouse treated with bleomycin 315
TUMOURS, ANIMAL, INDUCED by a single subcutaneous neonatal injection of N-ethyl-N-nitrosourea into rats include mixed astrocytomas, oligodendrogliomas, malignant mixed periventricular subependymal plate gliomas, neuroblastomas and malignant schwannomas 123
TUMOURS, HUMAN, androblastoma of ovary with androgenic endocrine function probably arising in a teratoma . . 267

PAGE

TUMOURS, HUMAN, carcinoma of breast, triple, one arising in a fibro-adenoma . 263
granular-cell myoblastomas, origin of and comparison with schwannomas . 101
haemangio-endothelioma of liver, 3 cases, probably of Kupffer-cell origin . 39
malignant haemangio-endothelioma associated with congenital adrenal hyperplasia 361
otolaryngeal carcinomas, bleomycin treatment caused progressive keratinisation in 5 out of 9 315
pigmented progonoma in dermoid cyst of ovary 357
schwannoma, comparison with granular-cell myoblastoma 101
tissue-cultures of Hep 2 cells, originally from squamous carcinoma of larynx, show increase in number of tonofibrils and in cellular glycogen when treated with bleomycin 315
TURNOVER of alveolar macrophages in experimental mouse pneumonia . . 7

UGANDA, aortopathies in Ugandan Africans 295

PAGE

VESICLES, numerous, in cytoplasm of red cells in ropalocytosis probably evidence of pinocytosis and micropinocytosis in erythroid cells 1

WATER CONTENT of brain in newborn inversely related to maturity and brain swelling 51

XANTHOMATA, pathogenesis of . . 271
XENOGRAFTS, rat-to-mouse skin, no difference between survival of first-, second-, and third-set grafts; grafts show poor vascularisation and minimal cellular infiltration, which may account for this 259

YELLOW FEVER-infected persons in East Central State of Nigeria all had anti-smooth-muscle and anti-mitochondrial antibodies, titre ≥ 10; infected suckling and adult mice had anti-smooth-muscle antibody titre $4 -> 10$ . . 83

INDEX OF AUTHORS

PAGE

AILSBY, R. L., and GHADIALLY, F. N., atypical cilia in human bronchial mucosa 75

ANDERSON, J. C., the induction of germinal centres in germ-free chickens . . 251

ARCHER, J. F., HENRY, L., BEVERLEY, J. K. A., and JOHNSON, S. G., experimental toxoplasmic myocarditis in rabbits . 141

BACON, P. A., DAVIES, J. D., BERRY, H., ISSA, M. A., and SCHOFIELD, J. J., labial sialadenitis in Sjögren's syndrome and in rheumatoid arthritis . 307

BADER, LYNETTE, D'ABRERA, V. ST. E., BURKE, W. J., and BLEASEL, K. F., carcinoma of the pituitary gland . 335

BEARD, R. W., and PRYSE-DAVIES, J., a necropsy study of brain swelling in the newborn with special reference to cerebellar herniation 51

BERRY, H., DAVIES, J. D., BACON, P. A., ISSA, M. A., and SCHOFIELD, J. J., labial sialadenitis in Sjögren's syndrome and in rheumatoid arthritis . 307

BESWICK, T. S. L., MIRANDA, Q. R., and KIRK, R. S., the long-term effects of neonatal Coxsackie-B_5 infection in mice: reduced fecundity of recovered females 183

BESWICK, T. S. L., MIRANDA, Q. R., KIRK, R. S., and CAMPBELL, A. C. P., experimental Coxsackie-B_5 myocarditis in mice 175

BEVERLEY, J. K. A., HENRY, L., ARCHER, J. F., and JOHNSON, S. G., experimental toxoplasmic myocarditis in rabbits 141

BHAN, INA, DEO, M. G., and RAMALINGASWAMI, V., influence of dietary protein deficiency on phagocytic activity of the reticulo-endothelial cells 215

BLACKWELL, J. B., and HILTON, J. M. N., metastasising chondroid syringoma . 167

BLEASEL, K. F., D'ABRERA, V. ST. E., BURKE, W. J., and BADER, LYNETTE, carcinoma of the pituitary gland . 335

BURCH, G. E., TSUI, C. Y., and HARB, J. M., the influence of quantity of beer consumed on the myocardium of mice 163

BURKE, W. J., D'ABRERA, V. ST. E., BLEASEL, K. F., and BADER, LYNETTE, carcinoma of the pituitary gland . 335

PAGE

CAMPBELL, A. C. P., MIRANDA, Q. R., KIRK, R. S., and BESWICK, T. S. L., experimental Coxsackie-B_5 myocarditis in mice 175

CATER, D. B., and CROCKER, J., in-vitro and in-vivo adherence of allergised lymph-node cells to BP8 ascites tumour cells, in the presence of polyamines and quaternary ammonium compounds 323

CHAN, W. C., DUKES, M., and WILLOUGHBY, D. A., the effect of various immunosuppressive agents on the vascular and cellular response to carrageenan in the rat 151

CHATURVEDI, U. C., MATHUR, ASHA, GUPTA, R. K., and MEHROTRA, R. M. L., immunopathological studies in pericardiotomised rats 345

COOPER, P. H., and WAISMAN, J., tubular differentiation and basement-membrane production in a renal adenoma: ultrastructural features 113

CROCKER, J., and CATER, D. B., in-vitro and in-vivo adherence of allergised lymph-node cells to BP8 ascites tumour cells, in the presence of polyamines and quaternary ammonium compounds 323

D'ABRERA, V. ST. E., BURKE, W. J., BLEASEL, K. F., and BADER, LYNETTE, carcinoma of the pituitary gland . 335

DALLENBACH, F. D., THOMAS, J. A., and THOMAS, MANORAMA, the distribution of radioactive lead (^{210}Pb) in the cerebellum of developing rats . . 45

DARMADY, E. M., OFFER, J., and WOODHOUSE, M. A., the parameters of the ageing kidney 195

DAVID-WEST, T. S., SMITH, J. A., and FRANCIS, T. I., auto-antibodies in acute viral hepatitis, yellow fever and hepatocellular carcinoma: clinical and experimental findings 83

DAVIES, J. D., Behçet's syndrome with haemoptysis and pulmonary lesions . 351

DAVIES, J. D., neural invasion in benign mammary dysplasia . . . 225

DAVIES, J. D., BERRY, H., BACON, P. A., ISSA, M. A., and SCHOFIELD, J. J., labial sialadenitis in Sjögren's syndrome and in rheumatoid arthritis . . . 307

PAGE

DEO, M. G., BHAN, INA, and RAMALINGASWAMI, V., influence of dietary protein deficiency on phagocytic activity of the reticulo-endothelial cells . . . 215
DONALD, D., malignant haemangioendothelioma associated with congenital adrenal hyperplasia . . 361
DUKES, M., CHAN, W. C., and WILLOUGHBY, D. A., the effect of various immunosuppressive agents on the vascular and cellular response to carrageenan in the rat 151
DUNKERLEY, DENISE J., WALTON, K. W., and THOMAS, CAROL, the pathogenesis of xanthomata 271

EAVES, G., the invasive growth of malignant tumours as a purely mechanical process 233

FERGUSON, J., MACSWEEN, R. N. M., VETTERS, J. M., ROSS, SHEILA K., JOHNSTONE, J. M., and SANDISON, A. T., haemangio-endothelial sarcoma of the liver 39
FRANCIS, T. I., SMITH, J. A., and DAVID-WEST, T. S., auto-antibodies in acute viral hepatitis, yellow fever and hepatocellular carcinoma: clinical and experimental findings . . 83
FRIEDMAN, E. A., RAY, M., and NICASTRI, A., sequential rat-to-mouse skin xenografts 259
FUNDER, C. C., SWALES, J. D., and TANGE, J. D., healed experimental renal papillary necrosis 209

GHADIALLY, F. N., and AILSBY, R. L., atypical cilia in human bronchial mucosa 75
GHADIALLY, F. N., and SKINNIDER, L. F., an ultrastructural study of ropalocytosis in human blood and bone marrow 1
GREY, P. A., MICHAELS, L., and ROWSON, K. E. K., effects of bleomycin on human and experimental squamous carcinoma 315
GUPTA, R. K., CHATURVEDI, U. C., MATHUR, ASHA, and MEHROTRA, R. M. L., immunopathological studies in pericardiotomised rats . . . 345

HARB, J. M., BURCH, G. E., and TSUI, C. Y., the influence of quantity of beer consumed on the myocardium of mice 163
HARINGTON, J. S., RITCHIE, MARIANNE, KING, P. C., and MILLER, KLARA, the in-vitro effects of silica-treated hamster macrophages on collagen production by hamster fibroblasts . . . 21
HAYES, DOROTHY M., and HUNTER, R. J., androblastoma of the ovary with heterotopic elements . . . 267
HELIN, P., SØNDERGAARD, J., and JØRGENSON, H. P., human cutaneous inflammation induced by prostaglandin E_1 . 239
HENRY, L., BEVERLEY, J. K. A., ARCHER, J. F., and JOHNSON, S. G., experimental toxoplasmic myocarditis in rabbits 141
HILTON, J. M. N., and BLACKWELL, J. B., metastasising chondroid syringoma . 167
HUNTER, R. J., and HAYES, DOROTHY M., androblastoma of the ovary with heterotopic elements . . . 267
HUTT, M. S. R., STEINER, I., and THOMAS, J. D., aortopathies in Ugandan Africans 295

ISSA, M. A., DAVIES, J. D., BERRY, H., BACON, P. A., and SCHOFIELD, J. J., labial sialadenitis in Sjögren's syndrome and in rheumatoid arthritis . 307

JEBBETT, JEAN N., and PATTISON, I. H., clinical and histological recovery from the scrapie-like spongiform encephalopathy produced in mice by feeding them with cuprizone 245
JOHNSON, S. G., HENRY, L., BEVERLEY, J. K. A., and ARCHER, J. F., experimental toxoplasmic myocarditis in rabbits . 141
JOHNSTONE, J. M., MACSWEEN, R. N. M., VETTERS, J. M., ROSS, SHEILA K., FERGUSON, J., and SANDISON, A. T., haemangio-endothelial sarcoma of the liver 39
JONES, E. L., SEARLE, C. E., and SMITH, W. T., tumours of the nervous system induced in rats by the neonatal administration of N-ethyl-N-nitrosourea . 123
JØRGENSON, H. P., SØNDERGAARD, J., and HELIN, P., human cutaneous inflammation induced by prostaglandin E_1 . 239

KING, P. C., HARINGTON, J. S., RITCHIE, MARIANNE, and MILLER, KLARA, the in-vitro effects of silica-treated hamster macrophages on collagen production by hamster fibroblasts . . 21
KIRK, R. S., MIRANDA, Q. R., and BESWICK, T. S. L., the long-term effects of neonatal Coxsackie-B_5 infection in mice: reduced fecundity of recovered females 183

PAGE

KIRK, R. S., MIRANDA, Q. R., BESWICK, T. S. L., and CAMPBELL, A. C. P., experimental Coxsackie-B_5 myocarditis in mice 175

MACSWEEN, R. N. M., VETTERS, J. M., ROSS, SHEILA K., FERGUSON, J., JOHNSTONE, J. M., and SANDISON, A. T., haemangio-endothelial sarcoma of the liver 39

MARQUET, E., SOBEL, H. J., and SCHWARZ, R., light- and electron-microscope study of the origin of granular-cell myoblastoma 101

MATHUR, ASHA, CHATURVEDI, U. C., GUPTA, R. K., and MEHROTRA, R. M. L., immunopathological studies in pericardiotomised rats 345

MEHROTRA, R. M. L., CHATURVEDI, U. C., MATHUR, ASHA, and GUPTA, R. K., immunopathological studies in pericardiotomised rats 345

MICHAELS, L., GREY, P. A., and ROWSON, K. E. K., effects of bleomycin on human and experimental squamous carcinoma 315

MILLER, KLARA, HARINGTON, J. S., RITCHIE, MARIANNE, and KING, P. C., the in-vitro effects of silica-treated hamster macrophages on collagen production by hamster fibroblasts . . 21

MIRANDA, Q. R., KIRK, R. S., and BESWICK, T. S. L., the long-term effects of neonatal Coxsackie-B_5 infection in mice: reduced fecundity of recovered females 183

MIRANDA, Q. R., KIRK, R. S., BESWICK, T. S. L., and CAMPBELL, A. C. P., experimental Coxsackie-B_5 myocarditis in mice 175

MORE, I. A. R., and SANDISON, A. T., triple carcinoma of the breast, one arising within a fibro-adenoma . . . 263

NICASTRI, A., RAY, M., and FRIEDMAN, E. A., sequential rat-to-mouse skin xenografts 259

O'BRIEN, F. V., and SINNIAH, R., pigmented progonoma in a dermoid cyst of the ovary 357

OFFER, J., DARMADY, E. M., and WOODHOUSE, M. A., the parameters of the ageing kidney 195

PATTISON, I. H., and JEBBETT, JEAN N., clinical and histological recovery from the scrapie-like spongiform encephalopathy produced in mice by feeding them with cuprizone . . 245

PRYSE-DAVIES, J., and BEARD, R. W., a necropsy study of brain swelling in the newborn with special reference to cerebellar herniation . . . 51

RAMALINGASWAMI, V., DEO, M. G., and BHAN, INA, influence of dietary protein deficiency on phagocytic activity of the reticulo-endothelial cells . . 215

RAO, S. N., mast cells as a component of the granuloma in Crohn's disease . 79

RAY, M., NICASTRI, A., and FRIEDMAN, E. A., sequential rat-to-mouse skin xenografts 259

RITCHIE, MARIANNE, HARINGTON, J. S., KING, P. C., and MILLER, KLARA, the in-vitro effects of silica-treated hamster macrophages on collagen production by hamster fibroblasts . . 21

ROSS, SHEILA K., MACSWEEN, R. N. M., VETTERS, J. M., FERGUSON, J., JOHNSTONE, J. M., and SANDISON, A. T., haemangio-endothelial sarcoma of the liver 39

ROWSON, K. E. K., MICHAELS, L., and GREY, P. A., effects of bleomycin on human and experimental squamous carcinoma 315

SANDISON, A. T., MACSWEEN, R. N. M., VETTERS, J. M., ROSS, SHEILA K., FERGUSON, J., and JOHNSTONE, J. M., haemangio-endothelial sarcoma of the liver 39

SANDISON, A T., and MORE, I. A. R., triple carcinoma of the breast, one arising within a fibro-adenoma . . . 263

SCHEUER, P. J., and YOUNGS, G. R., histologically benign mixed parotid tumour with hepatic metastasis . . . 171

SCHOFIELD, J. J., DAVIES, J. D., BERRY, H., BACON, P. A., and ISSA, M. A., labial sialadenitis in Sjögren's syndrome and in rheumatoid arthritis . . . 307

SCHWARZ, R., SOBEL, H. J., and MARQUET, E., light- and electron-microscope study of the origin of granular-cell myoblastoma 101

SEARLE, C. E., JONES, E. L., and SMITH, W. T., tumours of the nervous system induced in rats by the neonatal administration of N-ethyl-N-nitrosourea 123

SINNIAH, R., and O'BRIEN, F. V., pigmented progonoma in a dermoid cyst of the ovary 357

SKINNIDER, L. F., and GHADIALLY, F. N., an ultrastructural study of ropalocytosis in human blood and bone marrow 1

PAGE

SMITH, J. A., FRANCIS, T. I., and DAVID-WEST, T. S., auto-antibodies in acute viral hepatitis, yellow fever and hepatocellular carcinoma: clinical and experimental findings . . 83
SMITH, W. T., JONES, E. L., and SEARLE, C. E., tumours of the nervous system induced in rats by the neonatal administration of N-ethyl-N-nitrosourea . 123
SOBEL, H. J., SCHWARZ, R., and MARQUET, E., light- and electron-microscope study of the origin of granular-cell myoblastoma 101
SØNDERGAARD, J., HELIN, P., and JØRGENSON, H. P., human cutaneous inflammation induced by prostaglandin E_1. 239
SPECTOR, W. G., and VELO, G. P., the origin and turnover of alveolar macrophages in experimental pneumonia . 7
STEINER, I., THOMAS, J. D., and HUTT, M. S. R., aortopathies in Ugandan Africans 295
SUN, T., and TUNG-MA, L., ultrastructural changes in the biliary tracts of guinea-pigs infected with *Clonorchis sinensis* . 291
SWALES, J. D., FUNDER, C. C., and TANGE, J. D., healed experimental renal papillary necrosis 209

TANGE, J. D., SWALES, J. D., and FUNDER, C. C., healed experimental renal papillary necrosis 209
THOMAS, CAROL, WALTON, K. W., and DUNKERLEY, DENISE J., the pathogenesis of xanthomata . . . 271
THOMAS, J. A., DALLENBACH, F. D., and THOMAS, MANORAMA, the distribution of radioactive lead (^{210}Pb) in the cerebellum of developing rats . . 45
THOMAS, J. D., STEINER, I., and HUTT, M. S. R., aortopathies in Ugandan Africans 295
THOMAS, MANORAMA, THOMAS, J. A., and DALLENBACH, F. D., the distribution of radioactive lead (^{210}Pb) in the cerebellum of developing rats . . . 45
TSUI, C. Y., BURCH, G. E., and HARB, J. M., the influence of quantity of beer consumed on the myocardium of mice . 163
TUNG-MA, L., and SUN, T., ultrastructural changes in the biliary tracts of guinea-pigs infected with *Clonorchis sinensis* . 291

VELO, G. P., and SPECTOR, W. G., the origin and turnover of alveolar macrophages in experimental pneumonia . . 7
VETTERS, J. M., MACSWEEN, R. N. M., ROSS, SHEILA K., FERGUSON, J., JOHNSTONE, J. M., and SANDISON, A. T., haemangio-endothelial sarcoma of the liver 39

WAISMAN, J., and COOPER, P. H., tubular differentiation and basement-membrane production in a renal adenoma: ultrastructural features . . . 113
WALTON, K. W., THOMAS, CAROL, and DUNKERLEY, DENISE J., the pathogenesis of xanthomata . . . 271
WILLOUGHBY, D. A., DUKES, M., and CHAN, W. C., the effect of various immunosuppressive agents on the vascular and cellular response to carrageenan in the rat . . . 151
WOODHOUSE, M. A., DARMADY, E. M., and OFFER, J., the parameters of the ageing kidney 195
WRZOŁKOWA, TERESA, and ŻÓŁTOWSKA, ALBINA, experimental amyloidosis in hamsters 93

YOUNGS, G. R., and SCHEUER, P. J., histologically benign mixed parotid tumour with hepatic metastasis . . . 171

ŻÓŁTOWSKA, ALBINA, and WRZOŁKOWA, TERESA, experimental amyloidosis in hamsters 93

PRINTED IN GREAT BRITAIN BY T. & A. CONSTABLE LTD., EDINBURGH